



“LO MEJOR DEL AÑO” EN MICROBIOLOGÍA CLÍNICA

Dra. Nieves Larrosa. Servicio de Microbiología. H.U. Vall d'Hebron. Vall d'Hebron Institut de Recerca. Universitat Autònoma. Barcelona.

Diagnóstico microbiológico (4)

1. Fournier P-E, Gouriet F, Casalta J-P, Lepidi H, Chaudet H, Thuny F, et al. Blood culture-negative endocarditis: Improving the diagnostic yield using new diagnostic tools. *Medicine*. 2017 Nov;96(47):e8392.
DOI: 10.1097/MD.0000000000008392.
2. Pizzi MN, Dos-Subirà L, Roque A, Fernández-Hidalgo N, Cuéllar-Calabria H, Pijuan Domènech A, et al. 18 F-FDG-PET/CT angiography in the diagnosis of infective endocarditis and cardiac device infection in adult patients with congenital heart disease and prosthetic material. *International Journal of Cardiology*. 2017 Dec;248:396–402.
DOI: 10.1016/j.ijcard.2017.08.008
3. Street TL, Sanderson ND, Atkins BL, Brent AJ, Cole K, Foster D, et al. Molecular Diagnosis of Orthopedic-Device-Related Infection Directly from Sonication Fluid by Metagenomic Sequencing. Ledebauer NA, editor. *Journal of Clinical Microbiology*. 2017 Aug;55(8):2334–47.
DOI: 10.1128/JCM.00462-17.
4. Parize P, Muth E, Richaud C, Gratigny M, Pilmis B, Lamamy A, et al. Untargeted next-generation sequencing-based first-line diagnosis of infection in immunocompromised adults: a multicentre, blinded, prospective study. *Clinical Microbiology and Infection*. 2017 Aug;23(8):574.e1–574.e6.
DOI: 10.1016/j.cmi.2017.02.006.

Antibióticos y resistencia bacteriana (10)

1. Nguyen M, Brettin T, Long SW, Musser JM, Olsen RJ, Olson R, Shukla M, Stevens RL, Xia F, Yoo H, Davis JJ. Developing an in silico minimum inhibitory concentration panel test for *Klebsiella pneumoniae*. *Sci Rep*. 2018 Jan 11;8(1):421.
DOI: 10.1038/s41598-017-18972-w.
2. Aracil-García B, Oteo-Iglesias J, Cuevas-Lobato Ó, Lara-Fuella N, Pérez-Grajera I, Fernández-Romero S, et al. Rápido aumento de la resistencia a cefalosporinas de 3 a generación, imipenem y de la coresistencia en 7.140 aislados de *Klebsiella pneumoniae* en hemocultivos (2010-2014) según datos de EARS-Net en España. *Enfermedades Infecciosas y Microbiología Clínica*. 2017 Oct;35(8):480–6.
DOI: 10.1016/j.eimc.2016.06.007.
3. Recacha E, Machuca J, Díaz de Alba P, Ramos-Güelfo M, Docobo-Pérez F, RodríguezBeltrán J, Blázquez J, Pascual A, RodríguezMartínez JM. 2017. Quinolone resistance reversion by targeting the SOS response. *mBio* 8:e00971-17.
DOI: 10.1128/mBio.00971-17.



4. Martín-Gutiérrez G, Docobo-Pérez F, Rodríguez-Beltrán J, Rodríguez-Martínez JM, Aznar J, Pascual A, Blázquez J. 2018. Urinary tract conditions affect fosfomicin activity against *Escherichia coli* strains harboring chromosomal mutations involved in fosfomicin uptake. *Antimicrob Agents Chemother* 62:e01899-1717. DOI:10.1128/AAC.01899-17.
5. Martínez-García L, González-Alba JM, Baquero F, Cantón R, Galán JC. 2018. Ceftazidime is the key diversification and selection driver of VIM-type carbapenemases. *mBio* 9:e02109-17. DOI:10.1128/ mBio.02109-17.
6. del Barrio-Tofiño E, López-Causapé C, Cabot G, Rivera A, Benito N, Segura C, et al. Genomics and Susceptibility Profiles of Extensively Drug-Resistant *Pseudomonas aeruginosa* Isolates from Spain. *Antimicrobial Agents and Chemotherapy*. 2017 Nov;61(11):e01589–17. DOI: 10.1128/AAC.01589-17.
7. López M, Rueda A, Florido JP, Blasco L, Fernández-García L, Trastoy R, Fernández-Cuenca F, Martínez-Martínez L, Vila J, Pascual A, Bou G, Tomas M. Evolution of the Quorum network and the mobilome (plasmids and bacteriophages) in clinical strains of *Acinetobacter baumannii* during a decade. *Sci Rep*. 2018 Feb 6;8(1):2523. doi: 10.1038/s41598-018-20847-7. DOI: 10.1038/s41598-018-20847-7.
8. Igawa G, Yamagishi Y, Lee K-I, Dorin M, Shimuta K, Suematsu H, Nakayama S-I, Mikamo H, Unemo M, Ohnishi M. 2018. *Neisseria cinerea* with high ceftriaxone MIC is a source of ceftriaxone and cefixime resistance-mediating *penA* sequences in *Neisseria gonorrhoeae*. *Antimicrob Agents Chemother* 62:e02069 17. DOI: 10.1128/AAC.02069-17.
9. Cern A, Connolly KL, Jerse AE, Barenholz Y. In Vitro Susceptibility of *Neisseria gonorrhoeae* Strains to Mupirocin, an Antibiotic Reformulated for Parenteral Administration in Nanoliposomes. *Antimicrob Agents Chemother*. 2018 Mar 27;62(4). pii: e02377-17. DOI: 10.1128/AAC.02377-17.
10. Maryury Brown-Jaque, William Calero-Cáceres, Paula Espinal, Judith Rodríguez-Navarro, Elisenda Miró, Juan José González-López, Thais Cornejo, Juan Carlos Hurtado, Ferran Navarro, Maite Muniesa, Antibiotic resistance genes in phage particles isolated from human feces and induced from clinical bacterial isolates, *International Journal of Antimicrobial Agents* (2017). DOI:10.1016/j.ijantimicag.2017.11.014.

Control de la infección relacionada con la asistencia sanitaria (1)

1. Wang H-P, Zhang H-J, Liu J, Dong Q, Duan S, Ge J-Q, et al. Antimicrobial resistance of 3 types of gram-negative bacteria isolated from hospital surfaces and the hands of health care workers. *American Journal of Infection Control*. 2017 Nov;45(11):e143–7. DOI: 10.1016/j.ajic.2017.06.002.



Micobacterias (1)

1. Miotto P, Tessema B, Tagliani E, Chindelevitch L, Starks AM, Emerson C, et al. A standardised method for interpreting the association between mutations and phenotypic drug resistance in *Mycobacterium tuberculosis*. *European Respiratory Journal*. 2017;50(6):1701354.
DOI: 10.1183/13993003.01354-2017.

Micología (2)

1. Muñoz P, Vena A, Machado M, Gioia F, Martínez-Jiménez MC, Gómez E, et al. T2Candida MR as a predictor of outcome in patients with suspected invasive candidiasis starting empirical antifungal treatment: a prospective pilot study. *J Antimicrob Chemother*. 2018 Mar 1;73(suppl_4):iv6–12.
DOI: 10.1093/jac/dky047.
2. Ruiz-Gaitan A, Moret AM, Tasiás-Pitarch M, Aleixandre-Lopez AI, Martínez-Morel H, Calabuig E, et al. An outbreak due to *Candida auris* with prolonged colonization and candidemia in a tertiary care European hospital. *Mycoses*. 2018 Apr 14.
DOI: 10.1111/myc.12781.

Virus y patógenos emergentes (5)

1. Dyda A, Stelzer-Braid S, Adam D, Chughtai AA, MacIntyre CR. The association between acute flaccid myelitis (AFM) and Enterovirus D68 (EV-D68) – what is the evidence for causation? *Eurosurveillance* [Internet]. 2018 Jan 18;23(3).
DOI: 10.2807/1560-7917.ES.2018.23.3.17-00310.
2. Messacar K, Asturias EJ, Hixon AM, Van Leer-Buter C, Niesters HGM, Tyler KL, et al. Enterovirus D68 and acute flaccid myelitis—evaluating the evidence for causality. *The Lancet Infectious Diseases* [Internet]. 2018 Feb.
DOI: 10.1016/S1473-3099(18)30094-X.
3. Mead PS, Duggal NK, Hook SA, Delorey M, Fischer M, Olzenak McGuire D, et al. Zika Virus Shedding in Semen of Symptomatic Infected Men. *New England Journal of Medicine*. 2018 Apr 12;378(15):1377–85.
DOI: 10.1056/NEJMoa1711038.
4. Adams Waldorf KM, Nelson BR, Stencel-Baerenwald JE, Studholme C, Kapur RP, Armistead B, et al. Congenital Zika virus infection as a silent pathology with loss of neurogenic output in the fetal brain. *Nature Medicine*. 2018 Feb 5;24(3):368–74.
DOI: 10.1038/nm.4485.
5. Han J, Perez JT, Chen C, Li Y, Benitez A, Kandasamy M, et al. Genome-wide CRISPR/Cas9 Screen Identifies Host Factors Essential for Influenza Virus Replication. *Cell Reports*. 2018 Apr;23(2):596–607.
DOI: 10.1016/j.celrep.2018.03.045.



Parásitos (2)

1. Bayih AG, Debnath A, Mitre E, Huston CD, Laleu B, Leroy D, et al. Susceptibility testing of medically important parasites. *Clinical microbiology reviews*. 2017;30(3):647–69.
DOI: 10.1128/CMR.00111-16.
2. Salvador F, Sulleiro E, Piron M, Sánchez-Montalvá A, Sauleda S, Molina-Morant D, et al. *Strongyloides stercoralis* infection increases the likelihood to detect *Trypanosoma cruzi* DNA in peripheral blood in Chagas disease patients. *Tropical Medicine & International Health*. 2017 Nov;22(11):1436–41.
DOI: 10.1111/tmi.12970.

Microbiota (1)

1. Bullman S, Peadarallu CS, Sicinska E, Clancy TE, Zhang X, Cai D, et al. Analysis of *Fusobacterium* persistence and antibiotic response in colorectal cancer. *Science*. 2017 15;358(6369):1443–8.
DOI: 10.1126/science.aal5240.